

1801/3.03

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY
NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME <u>Henry Driesse</u>		POLICY NUMBER
STREET ADDRESS (including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER <u>3 Heritage Court</u>		COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and Block Numbers, etc.) <u>Lot 6, Block 151 Block 1801 Lot 3.03</u>		
CITY <u>Pompton Plains (Pegannock Twp.)</u>	STATE <u>NJ</u>	ZIP CODE <u>07444</u>

SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
<u>345311</u>	<u>0001</u>	<u>C</u>	<u>9/17/92</u>	<u>AE</u>	<u>192</u>

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back)
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7).

SECTION C BUILDING ELEVATION INFORMATION

1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 2.
- 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 1192 feet NGVD (or other FIRM datum—see Section B, Item 7).
- (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of feet NGVD (or other FIRM datum—see Section B, Item 7).
- (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is feet above or below (check one) the highest grade adjacent to the building.
- (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is feet above or below (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? Yes No Unknown
3. Indicate the elevation datum system used in determining the above reference level elevations: NGVD '29 Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
4. Elevation reference mark used appears on FIRM: Yes No (See Instructions on Page 4)
5. The reference level elevation is based on: actual construction construction drawings
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
6. The elevation of the lowest grade immediately adjacent to the building is: 1193 feet NGVD (or other FIRM datum—see Section B, Item 7).

SECTION D COMMUNITY INFORMATION

1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is: feet NGVD (or other FIRM datum—see Section B, Item 7).
2. Date of the start of construction or substantial improvement _____

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.


Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME <i>William F. Zimmerly</i>	LICENSE NUMBER (or Affix Seal) <i>GS 26798</i>		
TITLE <i>Land Surveyor</i>	COMPANY NAME <i>Wm. F. Zimmerly & Associates</i>		
ADDRESS <i>628 Pine Brook Rd.</i>	CITY <i>Lincoln Park</i>	STATE <i>NJ</i>	ZIP <i>07035</i>
SIGNATURE <i>W.F. Zimmerly</i>	DATE <i>2/17/99</i>	PHONE <i>973-694-5836</i>	

Copies should be made of this Certificate for: 1) community official, 2) Insurance agent/company, and 3) building owner.

COMMENTS:



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones. Elevations for all A Zones should be measured at the top of the reference level floor. Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

FEDERAL EMERGENCY MANAGEMENT AGENCY
 APPLICATION FORM FOR SINGLE RESIDENTIAL LOT OR STRUCTURE
 AMENDMENTS AND REVISIONS TO NATIONAL FLOOD INSURANCE PROGRAM MAPS

O.M.E. NO. 3067-0257
 Expires September 30, 1982

Paperwork Burden Disclosure Notice

Public reporting burden for this is estimated to average 2.4 hours per response. This includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the form. Send comments regarding the accuracy of the burden estimate to: Information Collection Management, Federal Emergency Management Agency, 500 C Street, SW, Washington, DC 20472; and to the Office of Management and Budget, Paperwork Reduction Project (3067-0257), Washington, DC 20503.

This form should be used by an individual property owner to request that the Federal Emergency Management Agency (FEMA) remove a single residential structure or legally recorded parcel of land or portions thereof, described by metes and bounds certified by a registered licensed land surveyor or professional engineer, from a designated Special Flood Hazard Area (SFHA), an area that would be inundated by the 100-year (one-percent annual) flood, via Letter of Map Amendment (LOMA) or Letter of Map Revision Based on Fill (LOMR-F). It shall not be used for requests involving changes to base flood elevations, floodway designations, or proposed projects. In addition, it shall not be used for requests submitted by developers or for requests involving multiple structures or lots.

APPLICABLE REGULATIONS

The regulations pertaining to LOMAs and LOMRs-F are presented in the National Flood Insurance Program (NFIP) regulations under Title 44, chapter I Parts 65 and 70, Code of Federal Regulations. The purpose of Part 70 is to provide an administrative procedure whereby FEMA will review information submitted by an owner or lessee of property who believes that his or her property has been inadvertently included in a designated SFHA. The necessity of Part 70 is due in part to the technical difficulty of accurately delineating the SFHA boundary on an NFIP map. Part 70 procedures shall not apply if the topography has been altered since the effective date of the first NFIP map (i.e., a Flood Insurance Rate Map (FIRM) or Flood Hazard Boundary Map) showing the property to be within the SFHA. Request involving changes in topography (such as the placement of fill) are handled under the procedures described in Part 65. In such instances, note especially NFIP regulations, Section 65.5.

BASIS OF DETERMINATION

FEMA's determination as to whether a structure or legally recorded parcel of land, or portions thereof, described by metes and bounds, may be removed from the SFHA will be based upon a comparison of the base (100-year) flood elevation (BFE) with certain elevation information. The elevation information required is dependent on whether a structure, a legally recorded parcel of land, or portions thereof are to be removed from the SFHA and whether fill has been placed on the property to raise the structure or parcel of land above the BFE, as outlined below.

ITEM TO BE REMOVED FROM THE SFHA

ELEVATION INFORMATION REQUIRED

Structure located on natural ground

Lowest adjacent grade (the elevation of the lowest ground touching the structure) to the structure

Structure located on fill

Lowest adjacent grade to the structure and the elevation of the lowest floor (including basement)

Undeveloped legally recorded parcel of land or portions thereof

Elevation of the lowest ground on the parcel or within the portion of land to be removed from the SFHA

Please note the following list of some of the special considerations that may affect FEMA's determination:

- Fill is defined as material placed to raise the ground to or above the BFE. Fill placed before the effective date of the first NFIP map showing the property to be within the SFHA is treated as natural ground. If this cannot be determined, then the initial identification date will be used.
- In areas of sheetflow flooding (AO Zones), the FEMA Regional Office should be contacted to clarify the elevation information that will be required for a determination as to whether a structure or legally defined parcel of land can be removed from the SFHA.
- If the lowest floor of a building has been elevated on posts, piers, or pilings above the BFE in the SFHA and any portion of the structure (i.e., post or pier) is still below the BFE, the building will not be removed from the SFHA.

1. Street address of your property: 3 Heritage Court, Pompton Plains, NJ 07444

Has fill been placed on your property? no If yes, when? _____

3. Are you requesting that the flood zone designation be removed from: a) your entire legally recorded property; b) a portion of your legally recorded property (a metes and bounds description must be written and certified by a registered professional surveyor or engineer and submitted with a map showing the metes and bounds area); or c) a structure on your property? (Answer "a," "b," or "c") (c)

4. If the answer to question 3 is "c", th

- What is the date of construction? 1980
- What is the type of construction? (a) crawl space; (b) slab on grade; (c) basement; (d) other (Answer "a," "b," "c," or "d") (a)

The following documents have been enclosed in support of the request:

- a. Copy of Plat Map (with recordation data)
- or
- Copy of the property deed (with recordation data) accompanied by a tax assessor's map or other suitable map showing the surveyed location of the property with respect to local streets and watercourses. (If the plat map and property deed are available, then both should be submitted.)
- b. Copy of the effective Flood Insurance Rate Map panel on which the property location has been accurately plotted
- c. Map showing the location of any structures
- d. Metes and bounds description and accompanying map (only if the request is for a portion of the property; certified by a registered professional engineer or licensed surveyor)
- e. A completed Federal Emergency Management Agency, National Flood Insurance Program, Elevation Certificate, certified by a registered professional engineer or licensed surveyor
- or
- Elevations, certified by a registered professional engineer, or licensed surveyor, as outlined above in the Basis of Determination
- f. If data to substantiate the 100-year flood elevation is not available from an authoritative source (such as Federal or State agency), the 100-year flood elevation must be calculated and the backup calculations must be provided.
- g. Community Acknowledgement Form (only if fill has been placed; form may be obtained from the regional office shown below or community)
- h. Additional information (attach list)

5. All information submitted in support of this request are correct to the best of my knowledge. I understand that any false statement may be punishable by fine or imprisonment under Title 18 of the United States Code, Section 1001.

Property Owner's Name: Henry J. Driesse

Mailing Address, & Daytime Telephone Number: 83 West End Avenue

Pompton Plains, NJ 07444

973-284-3178


Signature

March 5, 1999
Date

Please submit this form and all supporting data to the following address:

Director, Mitigation Division
Federal Emergency Management Agency, Region II
26 Federal Plaza, Room 1351
New York, New York 10278-0002